



BATEMAN

CLAMSHELL BUCKET

Bateman Clamshell Buckets provide the best solution for loading, re-handling & digging. Our Hydraulic Clamshell Buckets come in light, medium & heavy-duty models with either open or closed back designs.

Heavy-Duty Bearing Rotators.

360 Degrees of Continuous Rotation.

High-Abrasion Resistant Alloy Steel on Leading Edges.

Bolt-on Edges for Extra Wear Protection.

BCS10

MEDIUM/LIGHT

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MATERIAL DENSITY
1/2	24	TBD	2	3	Medium density
3/4	24	TBD	2	3	Medium density
1	36	TBD	2	3	Medium density
1 1/4	36	TBD	2	3	Medium density

Weight is subject to change. Optional bolt-on edges and side cutters available.

BCS15

MEDIUM/LIGHT

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MATERIAL DENSITY
1	48	TBD	2	3.5	Low density
1 1/4	48	TBD	2	3.5	Low density
1 1/2	48	TBD	2	3.5	Low density
2	48	TBD	2	3.5	Low density
2 1/2	60	TBD	2	3.5	Low density
3	60	TBD	2	3.5	Low density

Weight is subject to change. Optional bolt-on edges and side cutters available.

MEDIUM

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MAX MATERIAL DENSITY LBS/FT ³ (LBS/YRD)
1	48	3,800	2	3.5	55 (1,500)
1 1/2	48	4,050	2	3.5	55 (1,500)
2	48	4,200	2	3.5	55 (1,500)
2 1/2	60	4,400	2	3.5	55 (1,500)
3	60	4,500	2	3.5	55 (1,500)

Weight is subject to change. Bolt-on edges and side cutters included.

HEAVY-HDO/SCALLOPED

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MAX MATERIAL DENSITY LBS/FT ³ (LBS/YRD)
1	48	4,000	2	3.5	130 (3,500)
1 1/2	48	4,200	2	3.5	130 (3,500)
2	48	4,400	2	3.5	130 (3,500)
2 1/2	60	4,600	2	3.5	130 (3,500)
3	60	5,000	2	3.5	130 (3,500)

Weight is subject to change. Bolt-on edges and side cutters included.

BCS2

MEDIUM/LIGHT

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MATERIAL DENSITY
2	48	TBD	2	4	Low density
2 1/2	48	TBD	2	4	Low density
3	60	TBD	2	4	Low density
3 1/2	60	TBD	2	4	Low density
4	72	TBD	2	5	Low density
4 1/2	72	TBD	2	5	Low density
5	84	TBD	2	5	Low density
5 1/2	84	TBD	2	5	Low density
6	84	TBD	2	5	Low density

Weight is subject to change. Bolt-on edges available in option.

MEDIUM

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MAX MATERIAL DENSITY LBS/FT ³ (LBS/YRD)
2	48	5,450	2	4	55 (1,500)
2 1/2	48	5,550	2	4	55 (1,500)
3	60	5,680	2	4	55 (1,500)
3 1/2	60	5,800	2	4	55 (1,500)
4	72	6,000	2	5	55 (1,500)
4 1/2	72	6,300	2	5	55 (1,500)
5	84	7,100	2	5	55 (1,500)
5 1/2	84	7,400	2	5	55 (1,500)
6	84	7,700	2	5	55 (1,500)

Weight is subject to change. Bolt-on edges and side cutters included.

HEAVY-HDO/SCALLOPED

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MAX MATERIAL DENSITY LBS/FT ³ (LBS/YRD)
1 1/2	48	5,500	2	4	130 (3,500)
2	48	5,600	2	4	130 (3,500)
2 1/2	48	5,700	2	4	130 (3,500)
3	60	5,800	2	4	130 (3,500)
3 1/2	60	6,200	2	4	130 (3,500)
4	72	6,300	2	5	130 (3,500)
4 1/2	72	6,700	2	5	130 (3,500)
5	84	7,000	2	5	130 (3,500)
5 1/2	84	7,500	2	5	130 (3,500)
6	84	8,000	2	5	130 (3,500)

Weight is subject to change. Bolt-on edges and side cutters included.

BCS3

MEDIUM/LIGHT Common sizes listed, custom weights and capacities available up to and over 30 yd³ capacity.

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MATERIAL DENSITY
7	84	TBD	4	4	Low density
8	84	TBD	4	4	Low density
9	96	TBD	4	4	Low density
10	96	TBD	4	5	Low density
15	120	TBD	4	5	Low density
20	144	TBD	4	5	Low density
25	144	TBD	4	5	Low density

Weight is subject to change. Bolt-on edges available in option.

MEDIUM Common sizes listed, custom weights and capacities available up to and over 30 yd³ capacity.

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MAX MATERIAL DENSITY LBS/FT ³ (LBS/YRD)
5	84	TBD	4	4	55 (1,500)
6	84	TBD	4	4	55 (1,500)
7	84	TBD	4	4	55 (1,500)
8	84	TBD	4	5	55 (1,500)
9	96	TBD	4	5	55 (1,500)
10	96	TBD	4	5	55 (1,500)
15	120	TBD	4	5	55 (1,500)
20	144	TBD	4	5	55 (1,500)
25	144	TBD	4	5	55 (1,500)

Weight is subject to change. Bolt-on edges and side cutters included.

HEAVY-HDO/SCALLOPED

CAPACITY YD ³	WIDTH IN	ESTIMATED GA WEIGHT LBS	NO. OF CYLINDERS	CYLINDER BORE	MAX MATERIAL DENSITY LBS/FT ³ (LBS/YRD)
3	60	TBD	4	4	130 (3,500)
4	84	TBD	4	5	130 (3,500)
7	84	TBD	4	5	130 (3,500)

Weight is subject to change. Bolt-on edges and side cutters included.